SPECIFICATION DATA

1. Product Name

Foam it Green® 202 and 602 Class I Slow Rise Disposable Foam Kits

2. Manufacturer

A&B Filling, Inc.

PO Box 510803 | New Berlin, WI 53151

Phone: 1-833-362-6484 Fax: 1-833-362-6484

Email: sales@foamitgreen.com Web: www.foamitgreen.com



3. Product Description

Foam it Green® 202 and 602 Class I Slow Rise are disposable, closed-cell, low-pressure spray foam kits consisting of two chemical components (Component A: isocyanate and Component B: polyol blend), patented U-Control dispensing gun, ten multi-purpose mixing nozzles, nitrile gloves, and packet of petroleum jelly. These systems contain a flame retardant formula, meeting requirements of ASTM E-84 as a Class I product. They do not require any external power source.

4. Technical Data

Foam it Green® 202 and 602 Class I Slow Rise have the following physical properties:

DENSITY (ASTM D1622):

Free Rise 1.75 lb/f^3 In Place 2.0 lb/f^3 **R FACTOR** at 1" thickness (ASTM C518): 6.7

COMPRESSIVE STRENGTH (ASTM D1621): 15.9 psi (parallel)

CLOSED CELL CONTENT (ASTM D2856): >95%

DIMENSIONAL STABILITY (ASTM D2842):

% Volume Change, 158°F, 100 RH, 7 days 3.13 % Volume Change, -80°F, 7 days -0.29

DIMENSIONAL STABILITY (ASTM D2126):

% Volume Change, 158°F, 100 RH, 7 days 2.01 % Volume Change, -60°F, 7 days -0.42

TEMPERATURE TOLERANCE:

High Temperature Tolerance 250° F
Low Temperature Tolerance -250° F

AIR BARRIER PROPERTIES at 75 Pa (ASTM E283): 0.005 L/s/m²

PERM RATING at 1" / at 3" (ASTM E96): 3.70 Perms / 1.83 Perms

TENSILE STRENGTH (ASTM D1623): 36.14 psi

FLAMESPREAD at 2" thickness (ASTM E84): 20 **SMOKE DEVELOPED** at 2"thickness (ASTM E84): 300

FUNGI RESISTANCE (ASTM G21)No GrowthTACK FREE TIME:2 minutesRISE TIME:2 minutes

YIELD:

202 Class I Slow Rise $16.5 \ f^{3} \mid 200 \ f^{2} \ @ \ 1" \ thick \\ 602 \ Class I Slow Rise <math display="block">50 \ f^{3} \mid 600 \ f^{2} \ @ \ 1" \ thick$

- Foam it Green® products do not contain any CFC's, Penta-BDE's, VOC's, or Urea-Formaldehyde.
- Published yields are theoretical and vary based on several factors, including ambient conditions and specific application.
- Always use recommended personal protective equipment when using polyurethane foam products. Refer to the Material Safety Data Sheet for additional information on safe use and handling of Foam it Green® Systems.

